

Results for "explicit* <near/1> rout* or er*lsp or er <near/1> lsp"

Your search matched 17 of 1233246 documents.

A maximum of 250 results are displayed, 25 to a page, sorted by Publication year in Descending order.

 e-mail  print

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

explicit* <near/1> rout* or er*lsp or er <near/1> lsp



☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **A hierarchically distributed network management architecture for GMPLS-based IP multicasting**
Matsuura, H.; Imanaka, H.; Takami, K.;
Network Operations and Management Symposium, 2004. NOMS 2004. IEEE/IFIP Volume 1, 19-23 April 2004 Page(s):671 - 684 Vol.1
[AbstractPlus](#) | Full Text: [PDF\(576 KB\)](#) IEEE CNF
- ☐ 2. **MPLS Based Best Effort Traffic Engineering**
Rojanarowan, J.; Koehler, B.G.; Owen, H.L.;
SoutheastCon, 2004. Proceedings. IEEE
26-29 Mar 2004 Page(s):239 - 245
Digital Object Identifier 10.1109/SECON.2004.1287923
[AbstractPlus](#) | Full Text: [PDF\(1508 KB\)](#) IEEE CNF
- ☐ 3. **An infrastructure of distributed network management system for 1Gb/s E-PON using mobile agents**
Gwan Joong Kim; Tac Il Kim; Jea Hoon Yu;
Advanced Communication Technology, 2004. The 6th International Conference on Volume 2, 2004 Page(s):791 - 796
Digital Object Identifier 10.1109/ICACT.2004.1292978
[AbstractPlus](#) | Full Text: [PDF\(389 KB\)](#) IEEE CNF
- ☐ 4. **Multi-path constraint-based routing algorithms for MPLS traffic engineering**
Ho Young Cho; Jae Yong Lee; Byung Chul Kim;
Communications, 2003. ICC '03. IEEE International Conference on Volume 3, 11-15 May 2003 Page(s):1963 - 1967 vol.3
Digital Object Identifier 10.1109/ICC.2003.1203941
[AbstractPlus](#) | Full Text: [PDF\(416 KB\)](#) IEEE CNF
- ☐ 5. **Multicast routing simulator over MPLS networks**
Boudani, A.; Cousin, B.; Jawhar, C.; Doughan, M.;
Simulation Symposium, 2003. 36th Annual
30 March-2 April 2003 Page(s):327 - 334
[AbstractPlus](#) | Full Text: [PDF\(251 KB\)](#) IEEE CNF
- ☐ 6. **Shared backup protection based on aggregated information in WDM networks**
Touvet, F.; Harle, D.;
Communications, 2003. ICC '03. IEEE International Conference on Volume 2, 11-15 May 2003 Page(s):1325 - 1329 vol.2
Digital Object Identifier 10.1109/ICC.2003.1204599
[AbstractPlus](#) | Full Text: [PDF\(301 KB\)](#) IEEE CNF
- ☐ 7. **GLOBECOM'01. IEEE Global Telecommunications Conference (Cat. No.01CH37270)**
Global Telecommunications Conference, 2001. GLOBECOM '01. IEEE

Results for "(type <near/1> length <near/1> value* or tlv<and>mpls or lsp or label* <near/1> switch)"

[e-mail](#) [print](#)

Your search matched 2737 of 1229994 documents.

A maximum of 250 results are displayed, 25 to a page, sorted by Publication year in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Other Resources

(Available For Purchase)

Top Book Results

[Sourcebook of ATM and IP](#)
[Internetworking](#)

by Ahmad, K.;

Hardcover, Edition: 1

[Managing IP Networks](#)

by Aidarous, S.; Plevyak, T.;

Levine, P.; Martins, J.; Stiller, B.;

Sherif, M. H.; Fumagalli, A.; Aracil,

J.; Valcarenghi, L.;

Hardcover, Edition: 1

[View All 2 Result\(s\)](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

View: [1-25](#) | [26-50](#) | [51-75](#) | [76-100](#) | [101-125](#)

- ☐ 1. **Contention-Based Limited Deflection Routing Protocol in Optical Burst-Switched Networks**
Lee, S.; Sriram, K.; Kim, H.; Song, J.;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 8, Aug. 2005 Page(s):1596 - 1611
Digital Object Identifier 10.1109/JSAC.2005.851742
[AbstractPlus](#) | Full Text: [PDF](#)(776 KB) IEEE JNL
- ☐ 2. **Resolving the Fairness Issues in Bus-Based Optical Access Networks**
Bouabdallah, N.; Beylot, A.-L.; Dotaro, E.; Pujolle, G.;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 8, Aug. 2005 Page(s):1444 - 1457
Digital Object Identifier 10.1109/JSAC.2005.851779
[AbstractPlus](#) | Full Text: [PDF](#)(1360 KB) IEEE JNL
- ☐ 3. **Design of a High-Performance RSVP-TE Hardware Signaling Accelerator**
Wang, H.; Veeraraghavan, M.; Karri, R.; Li, T.;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 8, Aug. 2005 Page(s):1588 - 1595
Digital Object Identifier 10.1109/JSAC.2005.852241
[AbstractPlus](#) | Full Text: [PDF](#)(440 KB) IEEE JNL
- ☐ 4. **A Link Bundled Auxiliary Graph Model for Constrained Dynamic Traffic Grooming WDM Mesh Networks**
Yao, W.; Ramamurthy, B.;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 8, Aug. 2005 Page(s):1542 - 1555
Digital Object Identifier 10.1109/JSAC.2005.851792
[AbstractPlus](#) | Full Text: [PDF](#)(664 KB) IEEE JNL
- ☐ 5. **Guest Editorial Optical Communications and Networking Series**
Chan, V.W.S.W.S.;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 8, Aug. 2005 Page(s):1441 - 1443
Digital Object Identifier 10.1109/JSAC.2005.852180
[AbstractPlus](#) | Full Text: [PDF](#)(288 KB) IEEE JNL
- ☐ 6. **Table of contents**
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 8, Aug. 2005 Page(s):c1 - c4
Digital Object Identifier 10.1109/JSAC.2005.854006
Full Text: [PDF](#)(46 KB) IEEE JNL
7. **Network Design and Cost Optimization for Label Switched Multilayer Photonic IP**

Results for "(mpls or lsp or lsr<and>profil*)"

Your search matched **2945** of **1229994** documents.

A maximum of **250** results are displayed, **25** to a page, sorted by **Publication year** in **Ascending** order.

 [e-mail](#)  [print](#)

» Search Options

[View Session History](#)
[New Search](#)

» Other Resources

(Available For Purchase)

Top Book Results

[Next Generation SONET/SDH](#)

by Kartalopoulos, S. V.;

Hardcover, Edition: 1

[Sourcebook of ATM and IP](#)
[Internetworking](#)

by Ahmad, K.;

Hardcover, Edition: 1

[View All 2 Result\(s\)](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(mpls or lsp or lsr<and>profil*)

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

View: [< Prev](#) | [76-100](#) | [101-125](#) | [126-150](#) | [151-175](#) | [1](#)
☐ **76. A peer-to-peer zone-based two-level link state routing for mobile ad hoc networks**

Joa-Ng, M.; I-Tai Lu;

Selected Areas in Communications, IEEE Journal on

Volume 17, Issue 8, Aug. 1999 Page(s):1415 - 1425

Digital Object Identifier 10.1109/49.779923

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(196 KB) IEEE JNL

☐ **77. Issues on loop prevention in MPLS networks**

Ohba, Y.;

Communications Magazine, IEEE

Volume 37, Issue 12, Dec. 1999 Page(s):64 - 68

Digital Object Identifier 10.1109/35.809387

[AbstractPlus](#) | Full Text: [PDF](#)(276 KB) IEEE JNL

☐ **78. MPLS and the evolving Internet architecture**

Li, T.;

Communications Magazine, IEEE

Volume 37, Issue 12, Dec. 1999 Page(s):38 - 41

Digital Object Identifier 10.1109/35.809382

[AbstractPlus](#) | Full Text: [PDF](#)(308 KB) IEEE JNL

☐ **79. Sequence MAP decoding of trellis codes for Gaussian and Rayleigh channels**

Al-Semari, S.A.; Alajaji, F.; Fuja, T.;

Vehicular Technology, IEEE Transactions on

Volume 48, Issue 4, July 1999 Page(s):1130 - 1140

Digital Object Identifier 10.1109/25.775362

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(272 KB) IEEE JNL

☐ **80. MPLS and traffic engineering in IP networks**

Awduche, D.O.;

Communications Magazine, IEEE

Volume 37, Issue 12, Dec. 1999 Page(s):42 - 47

Digital Object Identifier 10.1109/35.809383

[AbstractPlus](#) | Full Text: [PDF](#)(388 KB) IEEE JNL

☐ **81. Performance issues in VC-merge capable switches for multiprotocol label switchi**

Widjaja, I.; Elwalid, A.I.;

Selected Areas in Communications, IEEE Journal on

Volume 17, Issue 6, June 1999 Page(s):1178 - 1189

Digital Object Identifier 10.1109/49.772455

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(268 KB) IEEE JNL

Results for "((mpls or lsp or lsr)<and>(index* or pointer*) <paragraph> (table* or database* or list*..."

[e-mail](#) [print](#)

Your search matched 316 of 1229994 documents.

A maximum of 316 results are displayed, 25 to a page, sorted by Publication year in Ascending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

View: [< Prev](#) | [76-100](#) | [101-125](#) | [126-150](#) | [151-175](#) | [1](#)

- ☐ **76. Joint least squares optimization for robust acoustic crosstalk cancellation**
Ward, D.B.;
Speech and Audio Processing, IEEE Transactions on
Volume 8, Issue 2, March 2000 Page(s):211 - 215
Digital Object Identifier 10.1109/89.824710
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(164 KB\)](#) IEEE JNL
- ☐ **77. A scheduling application for WDM optical networks**
Liu, K.H.; Wilson, B.J.; Wei, J.Y.;
Selected Areas in Communications, IEEE Journal on
Volume 18, Issue 10, Oct. 2000 Page(s):2041 - 2050
Digital Object Identifier 10.1109/49.887923
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(328 KB\)](#) IEEE JNL
- ☐ **78. Efficient distance measure for quantization of LSF and its Karhunen-Loeve transform parameters**
Hai Le Vu; Lois, L.;
Speech and Audio Processing, IEEE Transactions on
Volume 8, Issue 6, Nov. 2000 Page(s):744 - 746
Digital Object Identifier 10.1109/89.876313
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(104 KB\)](#) IEEE JNL
- ☐ **79. Channel optimized predictive vector quantization**
Linden, J.;
Speech and Audio Processing, IEEE Transactions on
Volume 8, Issue 4, July 2000 Page(s):370 - 384
Digital Object Identifier 10.1109/89.848219
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(332 KB\)](#) IEEE JNL
- ☐ **80. IP layer restoration and network planning based on virtual protection cycles**
Stamatelakis, D.; Grover, W.D.;
Selected Areas in Communications, IEEE Journal on
Volume 18, Issue 10, Oct. 2000 Page(s):1938 - 1949
Digital Object Identifier 10.1109/49.887914
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(196 KB\)](#) IEEE JNL
- ☐ **81. Constrained multicast routing in WDM networks with sparse light splitting**
Xijun Zhang; Wei, J.Y.; Chunming Qiao;
Lightwave Technology, Journal of
Volume 18, Issue 12, Dec 2000 Page(s):1917 - 1927
Digital Object Identifier 10.1109/50.908787
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(204 KB\)](#) IEEE JNL

EAST 09/89,650
DUE 9/6/05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17003	seo.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:46
L2	5984	label\$1 ADJ1 switch\$3 OR MPLS OR LSP	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:46
L3	✓ 7	L1 AND L2	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 11:51
L4	✓ 179	forward\$3 ADJ2 equivalenc\$4 ADJ2 class\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 12:10
L5	✓ 119	profil\$3 SAME (index\$3 OR pointer\$3 OR ptr\$1) AND profil\$3 SAME (quality NEAR2 service\$1 OR QoS)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:19
L6	✓ 357	(quality NEAR2 service\$1 OR QoS) WITH (index\$3 OR pointer\$1 OR ptr\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:46
L7	4966	label\$1 ADJ2 switch\$3 OR MPLS OR tag\$3 ADJ2 switch\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:49
L8	569	peak\$1 ADJ1 data\$1 ADJ1 rate\$1 OR peak\$1 ADJ1 bucket\$1 ADJ1 size\$1 OR commit\$4 ADJ1 data ADJ1 rate\$1 OR commit\$3 ADJ1 bucket\$1 ADJ1 size\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 13:51
L9	✓ 21	L7 AND L8	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:17
L11	3018	traffic\$1 NEAR2 (descriptor\$1 OR parameter\$1 OR extension\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:18

L12	✓ 246	L7 AND L11	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:50
L13	388	type ADJ1 length\$1 ADJ1 value\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 14:50
L14	✓ 74	L7 AND L13	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 16:46
L16	✓ 169	constraint\$1bas\$3 ADJ1 rout\$3 OR constraint ADJ1 bas\$3 ADJ1 rout\$3 OR CR\$1LSP OR CR ADJ1 LSP	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 16:59
L17	✓ 23	explicit\$3rout\$3 OR explicit ADJ1 rout\$3 OR ER\$1LSP OR ER ADJ1 LSP	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:23
L19	327	constraint\$1bas\$3 ADJ1 rout\$3 OR constraint ADJ1 bas\$3 ADJ1 rout\$3 OR CR\$1LSP OR CR ADJ1 LSP OR rsvp\$1te OR rsvp ADJ1 te OR resource ADJ1 reservat\$3 ADJ1 protocol ADJ1 traffic\$1 ADJ1 engineer\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:00
L20	✓ 13	L19 AND L17	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:45
L21	3278	label\$1 ADJ1 switch\$3 ADJ1 path\$1 OR LSP	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:45
L22	30927	(quality NEAR2 service\$1 OR QoS)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:46
L23	502	L21 AND L22	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:46

L24	✓ 206	L21 SAME L22	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:59
L25	✓ 60	L21 AND L13	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:59
L27	✓ 141	L21 AND L11	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 18:00
L29	✓ 13	L21 AND L8	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 18:01